



STANDARD STRAIGHT

- 03-001-105 10.5 cm
- 03-002-115 11.5 cm
- 03-003-130 13.0 cm
- 03-004-140 14.0 cm
- 03-005-150 15.0 cm
- 03-006-165 16.5 cm
- 03-007-170 17.0 cm
- 03-008-180 18.0 cm
- 03-009-200 20.0 cm




STANDARD CURVED

- 03-010-105 10.5 cm
- 03-011-115 11.5 cm
- 03-012-130 13.0 cm
- 03-013-140 14.0 cm
- 03-014-150 15.0 cm
- 03-015-165 16.5 cm
- 03-016-170 17.0 cm
- 03-017-180 18.0 cm
- 03-018-200 20.0 cm




STANDARD STRAIGHT

- 03-019-105 10.5 cm
- 03-020-115 11.5 cm
- 03-021-130 13.0 cm
- 03-022-140 14.0 cm
- 03-023-150 15.0 cm
- 03-024-165 16.5 cm
- 03-025-170 17.0 cm
- 03-026-180 18.0 cm
- 03-027-200 20.0 cm



STANDARD CURVED

- 03-028-105 10.5 cm
- 03-029-115 11.5 cm
- 03-030-130 13.0 cm
- 03-031-140 14.0 cm
- 03-032-150 15.0 cm
- 03-033-165 16.5 cm
- 03-034-170 17.0 cm
- 03-035-180 18.0 cm
- 03-036-200 20.0 cm



STANDARD STRAIGHT


- 03-037-105 10.5 cm
- 03-038-115 11.5 cm
- 03-039-130 13.0 cm
- 03-040-140 14.0 cm
- 03-041-150 15.0 cm
- 03-042-165 16.5 cm
- 03-043-170 17.0 cm
- 03-044-180 18.0 cm
- 03-045-200 20.0 cm




STANDARD CURVED

- 03-046-105 10.5 cm
- 03-047-115 11.5 cm
- 03-048-130 13.0 cm
- 03-049-140 14.0 cm
- 03-050-150 15.0 cm
- 03-051-165 16.5 cm
- 03-052-170 17.0 cm
- 03-053-180 18.0 cm
- 03-054-200 20.0 cm


SCISSORS




GRAZIL STRAIGHT
03-055-130 13.0 cm
03-056-145 14.5 cm




GRAZIL CURVED
03-057-130 13.0 cm
03-058-145 14.5 cm




GRAZIL STRAIGHT
03-059-130 13.0 cm
03-060-145 14.5 cm




GRAZIL CURVED
03-061-130 13.0 cm
03-062-145 14.5 cm




GRAZIL STRAIGHT
03-063-130 13.0 cm
03-064-145 14.5 cm




GRAZIL CURVED
03-065-130 13.0 cm
03-066-145 14.5 cm




MAYO
03-067-145 14.5 cm
03-068-150 15.0 cm
03-069-170 17.0 cm
03-070-195 19.5 cm
03-071-210 21.0 cm
03-072-230 23.0 cm
03-073-280 28.0 cm




MAYO
03-074-145 14.5 cm
03-075-150 15.0 cm
03-076-170 17.0 cm
03-077-195 19.5 cm
03-078-210 21.0 cm
03-079-230 23.0 cm
03-080-280 28.0 cm




MAYO-STILLE
03-081-150 15.0 cm
03-082-170 17.0 cm
03-083-195 19.5 cm
03-084-210 21.0 cm



MAYO-STILLE
03-085-150 15.0 cm
03-086-170 17.0 cm
03-087-195 19.5 cm
03-088-210 21.0 cm



MAYO-NOBLE
03-089-170
17.0 cm
Straight




MAYO-NOBLE
03-090-170
17.0 cm
Curved




03-091-145
14.5 cm




03-092-180
18.0 cm




03-093-200
20.0 cm



03-094-230
23.0 cm




03-095-250
25.0 cm



03-096-280
28.0 cm


METZENBAUM
Blunt / Blunt
Straight




03-097-145
14.5 cm




03-098-180
18.0 cm




03-099-200
20.0 cm



03-100-230
23.0 cm




03-101-250
25.0 cm



03-102-280
28.0 cm

METZENBAUM
Blunt / Blunt
Curved



INCISION
03-103-130 13.0 cm
03-104-145 14.5 cm




INCISION
03-105-155
15.5 cm




RICHTER
03-106-145
14.5 cm




FERGUSON
03-107-140 14.0 cm
03-108-165 16.5 cm
03-109-180 18.0 cm




DEAVER
03-110-140
14.0 cm







DEAVER
03-111-140
14.0 cm



METZENBAUM
Sharp/Sharp
03-112-145 14.5 cm
03-113-180 18.0 cm
03-114-200 20.0 cm
03-115-230 23.0 cm
03-116-250 25.0 cm
03-117-280 28.0 cm
03-118-300 30.0 cm



METZENBAUM
Sharp/Sharp
03-119-145 14.5 cm
03-120-180 18.0 cm
03-121-200 20.0 cm
03-122-230 23.0 cm
03-123-250 25.0 cm
03-124-280 28.0 cm
03-125-300 30.0 cm







METZENBAUM
Sharp/Blunt
03-126-145 14.5 cm
03-127-180 18.0 cm
03-128-200 20.0 cm
03-129-230 23.0 cm
03-130-250 25.0 cm
03-131-280 28.0 cm
03-132-300 30.0 cm

METZENBAUM
Sharp/Blunt
03-133-145 14.5 cm
03-134-180 18.0 cm
03-135-200 20.0 cm
03-136-230 23.0 cm
03-137-250 25.0 cm
03-138-280 28.0 cm
03-139-300 30.0 cm

METZENBAUM-BABY
03-140-115
11.5 cm

METZENBAUM-BABY
03-141-115
11.5 cm

LEXER
03-142-160
16.0 cm



LEXER
03-143-160
16.0 cm

FOMON
03-144-135
13.5 cm

LEXER-BABY
03-145-100
10.0 cm


LEXER-BABY
03-146-100
10.0 cm

SCISSORS




Plastic

JOSEPH
03-147-140
14.0 cm




JOSEPH
03-148-140
14.0 cm



Plastic


KILNER
03-149-120 12.0 cm
03-150-150 15.0 cm
03-151-180 18.0 cm
03-152-200 20.0 cm




KILNER
03-153-120 12.0 cm
03-154-150 15.0 cm
03-155-180 18.0 cm
03-156-200 20.0 cm




REYNOLDS
03-157-150 15.0 cm
03-158-180 18.0 cm




REYNOLDS
03-159-150 15.0 cm
03-160-180 18.0 cm




SIMS
03-161-200 20.0 cm
03-162-230 23.0 cm
Straight



03-163-200 20.0 cm
03-164-230 23.0 cm
03-165-200 20.0 cm
03-166-230 23.0 cm



SIMS
03-167-200 20.0 cm
03-168-230 23.0 cm
Curved




03-169-200 20.0 cm
03-170-230 23.0 cm




03-171-200 20.0 cm
03-172-230 23.0 cm



DELICATE SCISSORS



DUBOIS
03-173-270
27.0 cm




DUBOIS
03-174-270
27.0 cm




KILLNER




03-175-115
11.5 cm
Straight,
sharp/sharp




LITTLER




03-176-115 03-177-140
11.5 cm 14 cm
Curved, Curved,
sharp/sharp sharp/sharp




STRABISMUS



03-178-115
11.5 cm
Curved, blunt/blunt
03-179-115
11.5 cm
Straight, blunt/blunt




IRIS




| | | |
|------------|---------|----------|
| 03-180-090 | 09 cm | Straight |
| 03-181-105 | 10.5 cm | Straight |
| 03-182-110 | 11 cm | Straight |
| 03-183-090 | 09 cm | Curved |
| 03-184-100 | 10 cm | Curved |
| 03-185-115 | 11.5 cm | Curved |

DELICATE SCISSORS



Straight
03-186-100
10.0 cm

Curved
03-187-100
10.0 cm




Straight
03-188-100
10.0 cm

Curved
03-189-100
10.0 cm




03-190-095
9.5 cm
Curved-Ribbon
Handles blunt/blunt

TENOTOMY




Straight
03-191-095
9.5 cm

Curved
03-192-095
9.5 cm




Straight
03-193-100
10.0 cm

Curved
03-194-100
10.0 cm




Straight
03-195-095
9.5 cm

Curved
03-196-095
9.5 cm




TENOTOMY-STEVENS




| Fig. | Item | Description | Tip |
|------|-------------------|----------------------------|-------------|
| A | 03-197-115 | 11.5 cm Curved | Sharp/Sharp |
| B | 03-198-105 | 10.5 cm Straight | Blunt/Blunt |
| B | 03-199-115 | 11.5 cm Straight | Blunt/Blunt |
| C | 03-200-105 | 10.5 cm Curved | Blunt/Blunt |
| C | 03-201-115 | 11.5 cm Curved | Blunt/Blunt |
| C | 03-202-115 | 11.5 cm Curved Supercut | Blunt/Blunt |
| C | 03-203-145 | 14.5 cm Curved | Blunt/Blunt |


DELICATE SCISSORS



GOLDMAN-FOX
03-204-130
13.0 cm




GOLDMAN-FOX
03-205-130
13.0 cm




LOCKLIN
03-206-165
16.5 cm


LOCKLIN
03-207-165
16.5 cm




DEAN-DELLICATE
03-208-170
17.0 cm




QUINBY
03-209-120
12.0 cm



QUINBY
03-210-120
12.0 cm




IRIS
03-211-110
11cm



KNAPP IRIS
03-212-102 10.2 cm Straight.
03-213-102 10.2 cm Curved


SCISSORS



HEGEMANN-DIETRICH



25°
03-214-160 16.0 cm
03-215-190 19.0 cm



45°
03-216-160 16.0 cm
03-217-190 19.0 cm




60°
03-218-160 16.0 cm
03-219-190 19.0 cm




90°
03-220-160 16.0 cm
03-221-190 19.0 cm




125°
03-222-160 16.0 cm
03-223-190 19.0 cm




03-224-190
19.0 cm




COOLEY REVERSE
03-225-171
angled 120°
17.1 cm




POTTS-SMITH
19.0 cm



25°
03-226-190



45°
03-227-190



60°
03-228-190

Blade Length
1.3 mm



POTTS-SMITH

03-229-133
Short.
Angled 45°
13.3 cm


Blade Length
19 mm



POTTS-SMITH

03-230-146
short blades
angled 45°
14.6 cm


SCISSORS




RAGNELL
03-231-125
12.5cm




DEBAKEY
03-232-140 14 cm
03-233-180 18 cm
03-234-185 18.5 cm
03-235-190 19 cm
03-236-220 22 cm
03-237-230 23 cm



03-232-001
14 cm




03-233-002
18 cm




03-234-003
18.5 cm




03-235-004
19 cm



03-236-005
22 cm



03-237-006
23 cm




COOLEY




DE BAKEY




25°
03-245-160 16.0 cm
03-246-190 19.0 cm
03-247-230 23.0 cm
03-248-280 28.0 cm




45°
03-249-160 16.0 cm
03-250-190 19.0 cm
03-251-230 23.0 cm
03-252-280 28.0 cm




60°
03-253-160 16.0 cm
03-254-190 19.0 cm
03-255-230 23.0 cm
03-256-280 28.0 cm




HEATH
03-257-150
15.0 cm




STRULLY
03-258-220
22.0 cm




STRULLY
03-259-220
22.0 cm




NEUMANN
03-260-125
12.5 cm




MC INDOE
03-261-190
19.0 cm



POTTS-SMITH
03-262-190
19.0 cm




CRAFOORD
03-263-300
30.0 cm




OLIVECRONA
03-264-230
23.0 cm


SCISSORS




ANATOMY
03-265-210
21.0 cm



ANATOMY
03-266-210
21.0 cm



ANATOMY
03-267-210
21.0 cm



DISSECTING
03-268-110 11.0 cm
03-269-130 13.0 cm
03-270-140 14.0 cm



DISSECTING
03-271-110 11.0 cm
03-272-130 13.0 cm
03-273-140 14.0 cm



HEYMANN
03-274-180
18.0 cm




HEYMANN
03-275-195
19.5 cm



KNIGHT
03-276-180
18.0 cm



FOMON
03-277-160
16cm




COTTLE
03-278-145
14.5cm




Blunt
03-179-105

BEEBEE
10.5 cm
Straight




Pointed
03-280-105



Blunt
03-281-105

BEEBEE
10.5 cm
Curved




Pointed
03-282-105



NAIL SCISSORS
03-283-090
9 cm
Curved




NAIL SCISSORS
03-284-090
9 cm
Curved



NAIL SCISSORS
03-285-090
9 cm
Arrow Point
Curved




NAIL NIPPER
03-286-105
10.5 cm



WIRE CUTTING
03-287-115
11.5 cm



UNIVERSAL (Colour Available)
03-288-145 14.5 cm
143 C/290 F Autoclavable
03-289-150 15 cm
143 C/290 F Autoclavable
03-290-160 16 cm
143 C/290 F Autoclavable
03-291-180 18 cm
143 C/290 F Autoclavable




UNIVERSAL BANDAGE
03-292-120
12.0 cm




BRUNS
03-294-240
24 cm
serrated


BRUNS
03-293-240
24 cm
saw edge



ESMARCH
03-295-200 20 cm
03-296-220 22 cm




BERGMANN
03-297-180
18.0 cm




Saw Edge

03-298-170
17.0 cm



BURNHAM BANDAGE
03-299-140
14.0 cm




SMITH (MOD. USA)
03-300-160 16.0 cm
03-301-180 18.0 cm
03-302-200 20.0 cm
03-303-230 23.0 cm



LORENZ
03-304-230
23.0 cm



KNOWLES
03-305-140
14.0 cm




for fingers

KNOWLES
03-306-145
14.5 cm



LISTER
03-307-200
20 cm




LISTER BANDAGE
03-308-115 11.5 cm
03-309-140 14.0 cm
03-310-150 15.0 cm
03-311-180 18.0 cm
03-312-195 19.5 cm
03-313-200 20.0 cm




Saw Edge


LISTER-EXCENTRIC
03-314-160 16.0 cm
03-315-190 19.0 cm




BUSCH
03-316-130 13.0 cm
03-317-160 16.0 cm



BRAUN-STADLER
03-318-140
14.0 cm



BRAUN-STADLER
03-319-200
20.0 cm



MODIFIED-USA

03-320-100
10 cm